
HP Everyday Matte Polypropylene, 3-in Core





The HP large format printing system—the complete solution

HP Designjet, HP Latex, and HP Scitex Printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



Print durable, high-impact signs

Produce high-impact signs with vibrant color

Produce retail and POP signage and event displays with vibrant color and eyecatching image quality. This matte polypropylene provides excellent versatility and value across a wide range of indoor and outdoor applications. And it's recyclable.¹

Print, use, handle, and laminate with ease

Maintain peak productivity. HP Everyday Matte Polypropylene is easy to use and handle, whether you're doing a quick print run or large production runs. Post-print processing is smooth and easy with this tear-resistant substrate.

Do more, with the environment in mind

This versatile Original HP printing material is designed together with HP Latex, dye and pigmented Inks—and it's recyclable through the free, convenient HP Large Format Media take-back program¹.

| Target customers | Applications | Benefits | | |
|---|--|--|--|--|
| Print service providers | POP/POS signs | Indoor and outdoor versatility | | |
| Retail store in-house printing | Retails displays Tear resistance for easier handling | | | |
| Event designers | Event and trade show displays | Recyclable through the HP Large Format Media take-back program ¹ | | |
| Advertising agencies | Posters | | | |
| Geographic Information Systems (GIS) | | | | |
| Government (printing maps) | | | | |

Technical specifications



HP Everyday Matte Polypropylene, 3-in Core

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/hp/paperpresets.

| Weight | 120 g/m² per IS | 120 g/m ² per ISO 536 Test Method | | | | |
|-----------------------|---|--|--------------|-----------------------------|--|--|
| Thickness | 203 microns/8 mil per ISO 534 Test Method | | | | | |
| Opacity | Greater than 96% per TAPPI T-425 Test Method | | | | | |
| Brightness | Greater than 101% per ISO 2470 Test Method | | | | | |
| Whiteness | Greater than 113 per ISO 11476 Test Method | | | | | |
| Finish | Matte | | | | | |
| Operating temperature | 15 to 30° C / 59 to 86° F | | | | | |
| Operating humidity | 20 to 80% RH | | | | | |
| Dry time | 11 minutes (at 23° C, 50% RH) | | | | | |
| Lamination | Yes, cold | | | | | |
| Shelflife | 1 year, unopened in original packaging | | | | | |
| Storage temperature | 0 to 40° C / 32 to 104° F | | | | | |
| Storage humidity | 5 to 80% RH | | | | | |
| Recyclability | Recyclable through the HP Large Format Media take-back program ¹ | | | | | |
| Country of origin | Product of China | | | | | |
| Ordering information | Product number | s Roll sizes | UPC codes | Region | | |
| | D9R28A | 914 mm x 61 m (36 in x 200 ft) | 848412009835 | North America, Europe, Asia | | |
| | D9R29A | 1067 mm x 61 m (42 in x 200 ft) | 848412009842 | North America, Europe, Asia | | |
| | D9R30A | 1270 mm x 61 m (50 in x 200 ft) | 848412009859 | North America, Europe, Asia | | |
| | D9R31A | 1524 mm x 61 m (60 in x 200 ft) | 848412009866 | North America, Europe, Asia | | |
| Warranty | HP large format printing materials are free from defects in materials and workmanship. For warranty statem please see HPLFMedia.com/hp/mediawarranties. | | | | | |

¹ HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See hp.com/recycle for details.



For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com

© 2019 HP Development Company, L.P. © 2019 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.

