




HP Universal Heavyweight Coated Paper, 3-in Core for HP PageWide Technology



The HP large format printing system—the complete solution

HP PageWide XL, HP Designjet, and HP Latex printers, Original HP inks—including HP PageWide XL pigment inks—and printheads, and Original HP printing materials are designed to work together as a system to provide reliable, consistent results with every print.



Achieve economical, heavyweight high-production printing

Accomplish more with consistent results every time

From working comps and design proofs to POP signage and special event posters, see high-quality, consistent image quality from this paper designed for high-production environments.

Make the economical choice for everyday prints

Meet your everyday printing needs and enjoy consistent, high-quality results with this economical heavyweight matte coated paper.

Add flexibility—this paper is FSC® certified¹

Use this high-quality printing material across a broad range of HP printers including HP PageWide XL printers. And get added flexibility with this recyclable, FSC®-certified paper¹ that supports the development of responsible forest management worldwide.

¹ HP trademark license code FSC®-C017543, see fsc.org. Not all FSC®-certified products are available in all regions.

Target customers	Applications	Benefits
Architects	Architecture (AEC) and engineering (MCAD)	High-production printing
Engineers	Geographic Information Systems (GIS)	Consistent, high-quality results
Geographic Information Systems (GIS) professionals	Posters and presentations	Cost-effective for everyday use
Graphic designers	POP and retail displays	Recyclable through commonly available programs
Print service providers		FSC®-certified paper ¹

Technical specifications



HP Universal Heavyweight Coated Paper, 3-in Core for HP PageWide Technology

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/t/paperpresets.

Weight	125 g/m ² per ISO 536 Test Method, (35 lbs)			
Ink compatibility	Original HP Latex Inks, HP dye- and pigment-based inks including HP PageWide XL pigment inks			
Thickness	172 microns/6.8 mil per ISO 534 Test Method			
Opacity	Greater than 90% per TAPPI T-425 Test Method			
Brightness	Greater than 95% per TAPPI T-452 Test Method			
Whiteness	130 per CIE Ganz 82 Test Method			
Finish	Matte			
Operating temperature	15 to 30° C / 59 to 86° F			
Operating humidity	30 to 70% RH			
Dry time	Immediate (at 23° C, 50% RH)			
Shelf life	2 years, unopened in original packaging			
Storage temperature	5 to 40° C / 41 to 104° F			
Storage humidity	10 to 80% RH			
Recyclability	Recyclable through commonly available recycling programs			
Country of origin	Product of France			
Ordering information	Product numbers	Roll sizes	UPC codes	Region
	L5C79A	(A0) 841 mm x 91,4 m	848412015898	Europe
	L5C80A	914 mm x 91,4 m (36 in x 300 ft)	848412015904	US, Asia, Europe
	L5C81A	1016 mm x 91,4 m (40 in x 300 ft)	848412015911	US, Asia, Europe
Warranty	HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see HPLFMedia.com/t/mediawarranties . To obtain warranty service, please contact HP customer support.			



The mark of responsible forestry

Note: Not all FSC®-certified products are available in all regions.

For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com

© 2019 HP Development Company, L.P. © 2019 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.

