

Avery Dennison®
Digital Overlamine Solutions

Level up your graphics
protection game



**AVERY
DENNISON**



Printed graphics need protection. Avery Dennison has the solution.

Level up protection and get your graphics in the game for vibrant color that lasts across a multitude of surfaces and exposures. Avery Dennison® digital overlaminate films (DOL) are an important pairing for any digitally printed graphic that must withstand direct UV, weather and environmental exposure or foot traffic.

Our protective overlaminates provide maximum durability and color longevity when paired with your selected print media. With a complete line of cast, calendered and specialty overlaminate films, Avery Dennison offers more quality options and finish choices for every budget and durability need. All Avery Dennison durability claims are specific to DOLs paired in combination with Avery Dennison cast and calendered digitally printable films.

For maximum impact, request the best for your application by pairing MPI 1105 supercast series wrapping films with an Avery Dennison DOL Max overlaminate.

DOL Z Series High-Performance Cast DOL Vertical Durability



DOL Z Series films are engineered for mid-term cast DOL graphic performance, especially for exterior applications such as perforated graphics*, fleet trailer graphics, vehicle wraps and outdoor signage with flat or compound curves that often come into contact with rivets.

*DOL 1360Z only

DOL 1060Z Gloss Finish Up to 5 year Vertical

2.1 mil film with a smooth PET liner and permanent adhesive.

DOL 1360Z Gloss Finish Up to 4 year Vertical

1.3 mil film with a smooth PET liner and permanent adhesive.

DOL 1380Z Matte Finish Up to 4 year Vertical

1.3 mil film with a kraft paper liner and permanent adhesive.

DOL 1080Z Matte Finish Up to 5 year Vertical

2.1 mil film with a kraft paper liner and permanent adhesive.

DOL 1370Z Luster Finish Up to 4 year Vertical

1.3 mil film with a kraft paper liner and permanent adhesive.

DOL 1460Z Gloss Finish Up to 4 year Vertical

1.3 mil film with a smooth PET liner and permanent adhesive.

DOL 2000 Series High-Performance Calendered DOL Vertical Durability



The DOL 2000 Series are high-performance calendered films with finishes that range from gloss, luster and matte. These overlaminate films are used with short and medium-term applied graphics on flat to simple curved surfaces. This DOL series meets ASTM E84 Class 1 or A rating and UL® 410 Standard for slip resistance of floor surface materials.

DOL 2060 Gloss Finish Up to 3 year Vertical

3.1 mil film with a kraft paper liner and permanent adhesive.

DOL 2080 Matte Finish Up to 3 year Vertical

3.1 mil film with a kraft paper liner and permanent adhesive.

DOL 2070 Luster Finish Up to 3 year Vertical

3.1 mil film with a kraft paper liner and permanent adhesive.

DOL 3000 Series Promotional Calendered DOL Vertical Durability



DOL 3000 Series overlaminate films are designed for short-term promotional graphics. DOL 3000 films are available in gloss, luster and matte finishes and used for flat surface applications. This DOL series meets ASTM E84 Class 1 or A rating and UL® 410 Standard for slip resistance of floor surface materials.

DOL 3060 Gloss Finish Up to 2 year Vertical

3.2 mil film with a kraft paper liner and permanent adhesive.

DOL 3080 Matte Finish Up to 2 year Vertical

3.2 mil film with a kraft paper liner and permanent adhesive.

DOL 3070 Luster Finish Up to 2 year Vertical

3.2 mil film with a kraft paper liner and permanent adhesive.

DOL 6000 Series Specialty DOL Vertical Durability



Specialty overlaminate films, like DOL 6060 Anti-Graffiti and DOL 6040 Sparkle Gloss, add protection to printed graphic films along with unique features and special effects.

DOL 6060 Gloss Finish Anti-Graffiti Protection Up to 3 year Vertical

1 mil PET film with a kraft paper liner and permanent adhesive. Designed as a graffiti resistant laminate to protect flat indoor and outdoor markings and decorations against permanent damage from chemicals, solvents or graffiti paints.

DOL 6040 Sparkle Finish Up to 2 year Vertical

3 mil cast vinyl film with a PET liner and permanent adhesive. This film provides a metallic look to standard printed decals. The gloss film features a synthetic liner that creates a super smooth high gloss finish.

Select your DOL by durability need, application and print medium

Print Media				Face Finish	Adhesive	Compatibility		Applications¹										Outdoor Durability (Up to X Years)										Adhesive Removability			Conformability				
						Solvent	UV-Curable	Latex Inks	Fleet/Vehicles	Transit/Bus	Vehicle Windows	Marine/Watercraft	Backlit Signs	Smooth Interior Walls⁴	Textured Walls	POP/Tradeshows	Window Graphics (Flat)	Outdoor Signage	Indoor Floor Graphics³	Unprinted	DOL 1060 Max	DOL 1360 Max	DOL 1370 Max	DOL 1380 Max	DOL 7460 and DOL 6470 PVC-Free	DOL 1000Z Series	DOL 1300Z Series	DOL 1460Z	DOL 2000 Series	DOL 3000 Series	Clean	Clean with Heat	Permanent	Flat with Rivets	Compound Curves
Supercast 7-10 Year Durability	MPI 1105 Easy Apply™ RS	Gloss	LTR	✓	✓	✓									7	7V 2H	7V 2H	6V 3H	5	4	4	-	-		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 1105 Easy Apply™	Gloss	LTR	✓	✓	✓									7	7V 2H	7V 2H	6V 3H	5	4	4	-	-		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 1105	Gloss	LTR	✓	✓	✓									7	7V 2H	7V 2H	6V 3H	5	4	4	-	-		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 1106 Hi Tack Easy Apply™	Gloss	Perm	✓	✓	✓									7	7V 2H	7V 2H	6V 3H	5	4	4	-	-			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 1405 PVC Free Easy Apply™ RS	Gloss	LTR	✓	✓	✓									12	7V 2H	7V 2H	6V 3H	-	-	-	-	-		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓
	MPI 1060 Transparent	Gloss	Perm		✓										7	7V 2H	7V 2H	5	5	4	4	-	-			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
High Performance Calendered 4-6 Years Durability	MPI 2050 Translucent	Matte	Perm	✓	✓	✓									6	5	4	5	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2105 Easy Apply™ RS¹	Gloss	LTR	✓	✓	✓									6	5	4	5	5	4	4	3	2		✓							✓	✓	✓	✓
	MPI 2105 Easy Apply™ ¹	Gloss	LTR	✓	✓	✓									6	5	4	5	5	4	4	3	2		✓							✓	✓	✓	✓
	MPI 2120	Matte	Perm	✓	✓	✓									6	5	4	5	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2121 Transit Vinyl¹,²	Matte	Rem	✓	✓	✓									1	1	1	1	1	1	1	1	1	✓								✓	✓	✓	✓
	MPI 2126 Hi Tack Easy Apply™	Matte	Perm	✓	✓	✓									6	5	4	-	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2610 Wall Film²	Luster	Perm	✓	✓	✓									4	3	3	3	3	3	3	3	2			✓						✓	✓	✓	✓
	MPI 2611 Wall Film²	Luster	Rem	✓	✓	✓									4	3	3	3	3	3	3	3	2	✓								✓	✓	✓	✓
	MPI 2630 Textured Wall Film²	Textured	Perm	✓	✓	✓									3	-	-	-	-	-	-	-	-			✓						✓	✓	✓	✓
	MPI 2631 Textured Wall Film²	Textured	Rem	✓	✓	✓									3	-	-	-	-	-	-	-	-	✓								✓	✓	✓	✓
Intermediate Calendered 2-5 Years Durability	MPI 2528 Perforated Window 50/50	Matte	Rem	✓											3	-	1	-	-	1	-	-	-	✓								✓	✓	✓	✓
	MPI 2728 Perforated Window 65/35	Matte	Rem	✓											3	-	1	-	-	1	-	-	-	✓								✓	✓	✓	✓
	MPI 2903 Easy Apply™	Gloss	Perm	✓	✓	✓									5	5	4	3	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2903	Gloss	Perm	✓	✓	✓									5	5	4	3	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2902	Gloss	Rem	✓	✓	✓									5	5	4	3	5	4	4	3	2	✓								✓	✓	✓	✓
	MPI 2922	Matte	Rem	✓	✓	✓									5	5	4	3	5	4	4	3	2		✓							✓	✓	✓	✓
	MPI 2923 Easy Apply™	Matte	Perm	✓	✓	✓									5	5	4	4	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2923	Matte	Perm	✓	✓	✓									5	5	4	4	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2920	Matte	Perm	✓	✓	✓									5	5	4	3	5	4	4	3	2			✓						✓	✓	✓	✓
	MPI 2921 Easy Apply™ and StaFlat™	Matte	Rem	✓	✓	✓									1	1	1	1	1	1	1	1	1	✓								✓	✓	✓	✓
Promo Calendered 1-3 Years Durability	MPI 3300 & MPI 3303	Gloss	Perm	✓	✓	✓									3	3	3	3	3	3	3	3	2			✓						✓	✓	✓	✓
	MPI 3302	Gloss	Rem	✓	✓	✓									3	3	3	3	3	3	3	3	2	✓								✓	✓	✓	✓
	MPI 3323	Matte	Perm	✓	✓	✓									3	3	3	3	3	3	3	3	2			✓						✓	✓	✓	✓
	MPI 3320	Matte	Perm	✓	✓	✓									3	3	3	3	3	3	3	3	2			✓						✓	✓	✓	✓
	MPI 3322	Matte	Rem	✓	✓	✓									3	3	3	3	3	3	3	3	2	✓								✓	✓	✓	✓
Reflective Specialty	SF 100-103 Ultra Clear	Gloss	Rem		✓	✓									2	-	-	-	-	-	-	-	-	✓									✓	✓	✓
	SF 100 Polyester SF Series	Gloss	Perm		✓										2	2	2	2	2	2	2	2	2		✓								✓	✓	✓
	V4000 White LTR Beaded Reflective Film	Gloss	LTR	✓	✓	✓									7	5	4	6	5	4	4	-	-	✓		✓					✓	✓	✓	✓	✓
	VisiFlex™ V8000 Series Reflective Film	Gloss	Perm	✓	✓	✓									7	5	4	-	5	4	4	-	-		✓							✓	✓	✓	✓

DOL Max Series
Premium Cast DOL

Vertical and Horizontal Durability



The DOL Max series of digital overlaminates are engineered for longer-term cast graphic protection, especially for vertical and horizontal exterior applications such as outdoor signage, marine, vehicle wraps and fleet graphics.

DOL 1060 Max

Gloss Finish
Up to 7 year Vertical
Up to 2 year Horizontal

2.1 mil film with a synthetic liner and permanent adhesive.

DOL 1360 Max

Gloss Finish
Up to 7 year Vertical
Up to 2 year Horizontal

1.3 mil film with a synthetic liner and permanent adhesive.

DOL 1370 Max

Luster Finish
Up to 7 year Vertical
Up to 2 year Horizontal

1.3 mil film with a PET liner and permanent adhesive.

DOL 1380 Max

Matte Finish
Up to 7 year Vertical
Up to 2 year Horizontal

1.3 mil film with a PET liner and permanent adhesive.

PVC-Free Films
Premium PVC-Free DOL

Vertical and Horizontal Durability



Our PVC-Free films provide ultra conformability and exceptional durability in an eco-friendly solution. Great for areas in hot/dry climates with high UV-exposure. Pair with MPI 1405 for a full PVC-Free solution!

NEW!
DOL 7460

Gloss Finish
Up to 6 year Vertical
Up to 3 year Horizontal

1.5 mil urethane film with a synthetic liner and permanent adhesive.

DOL 6470

Luster Finish
Up to 6 year Vertical
Up to 3 year Horizontal

1.5 mil urethane film with a synthetic liner and permanent adhesive.

Manufactured with
ADReva™ Technology

For more information on Avery Dennison products and services, contact your sales representative or call customer service at **800.282.8379**

Visit us online at:
graphics.averydennison.com/dol



A475677 05/2025

graphics.averydennison.com

All statements, technical information and recommendations about Avery Dennison products are based upon tests and information believed to be reliable but do not constitute a guarantee or warranty of any kind. All Avery Dennison products are sold with the understanding that the Purchaser has independently determined the suitability of such products for its intended and other purposes.

©2025 Avery Dennison Corporation. All rights reserved. Avery Dennison® is a registered trademark of Avery Dennison Corporation. Avery Dennison brands, product names, antenna designs and codes or service programs are trademarks of Avery Dennison Corporation.