



SAFETY DATA SHEET

Issue Date: 9/24/2019

Section 1 – Identification

Product Identification: DAF Speed Vinyl with Removeable Adhesive
Manufacturer's Name: DAF Products Inc.
420 Braen Ave.
Wyckoff, NJ 07481
Telephone: (201) 251-1222

Section 2 – Hazard Identification

GHS Classification: None

Section 3 – Composition/Information on Ingredients

Hazardous Components: OSHA Hazard Communication Standard requirements for Safety Data Sheets do not apply to the product described here. This product is excluded as an article.

Section 4 – First Aid Measures

Inhalation: These products are a solid and are not likely to be inhaled. If exposed to fumes from overheating or combustion, remove to fresh air. Call a physician if necessary.

Eye Contact: Not likely to cause a hazard in normal use. If dust from product enters eyes, flush with water for at least 20 minutes.

Skin Contact: The product is not likely to be hazardous by skin contact. If irritation develops, wash affected areas with soap and water.

Ingestion: Not a hazard in normal use. If ingested, contact a physician.



Section 5 – Fire Fighting Measures

Suitable Extinguishing Media: Water, foam, dry chemical, CO₂.

Unsuitable Extinguishing Media: None.

Fire Fighting Procedure: Keep personnel removed and upwind of fire. Firefighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and/or irritating fumes.

Hazardous Decomposition Products: Carbon dioxide and carbon monoxide.

Unusual Fire/Explosion Hazards: These products can be combustible by remaining in contact with flame. If product remains in contact with flame, they can burn and drip flaming plastic that can spread the fire. During processing, product can pick up static charge. Avoid discharge into dust or solvent-laden air.

Section 6 – Accidental Release Measures

Review fire/explosion hazards before proceeding with clean-up. Use appropriate personal protection equipment during clean-up.

Section 7 – Handling and Storage

Handling: Rolls of product may telescope. Use caution when handling

Do not breathe vapors or fumes that may escape from product during processing.

Plastic packaging may contain a static charge. Products rolls should be opened away from possible ignition sources such as solvent-laden air.

Storage Conditions: Store away from heat and sources of ignition. Do not store in direct sunlight. Recommended Storage Temperature: 70F +/- 20F. 50% relative humidity +/- 20%.

Section 8 – Exposure Controls/Personal Protection

Exposure Limits: No known ACGIH, TLV, OSHA, PEL or supplier recommended occupational exposure above established limits.



Industrial Hygiene/Ventilation Measures: Provide general room exhaust ventilation. No respiratory protection is necessary except where overheating can occur during processing. Use self-contained breathing apparatus, adequate ventilation, and/or engineering controls in high-temperature processing to prevent exposure to vapors.

Eye Protection: Wear safety glasses when handling/processing this product.

Skin Protection: Special protective clothing is not necessary when handling or processing this product.

Respiratory Protection: No personal respiratory equipment is necessary for normal use. In case of hazardous vapors/fumes use self-contained breathing apparatus.

Section 9 - Physical and Chemical Properties

Physical State:	Solid
Appearance:	Roll
Color:	White with white paper liner
Odor:	chemical odor – little to none
Odor Threshold:	No data available
PH:	No data available
Melting Point:	Above 300F
Boiling Point:	No data available
Flash Point:	No data Available

Section 9 – Physical and Chemical Properties (Continued)

Evaporation Rate:	None
Flammability:	Will burn when in contact with flame. Will continue to burn when exposed to continuous flame source.
Lower Explosion Limit:	No data available
Upper Explosion Limit:	No data available



Vapor Pressure: No data available
Vapor Density: No data available
Density: No data available
Relative Vapor Density: No data available
Specific Gravity: No data available
Solubility in Water: Insoluble
Partition Coefficient: No data available
Auto Ignition Temperature: No data available
Decomposition Temperature: No data available
Viscosity: Solid

Section 10 – Stability and Reactivity

Hazardous Reactions: Polymerization does not occur.

Stability: Product is stable under normal ambient temperatures and conditions.

Conditions to Avoid: Excessive heat, flame, and sparks

Hazardous Decomposition Products: Carbon dioxide, carbon monoxide

Section 11 – Toxicological Information

Likely routes of exposure: Skin contact and/or inhalation

Health Effects and Symptoms: None

Toxicity Data: None

Section 12 – Ecological Information



Ecotoxicology Assessment: This product is not considered to be persistent, bio accumulating, or toxic.

Section 13 – Disposal Considerations

Waste Disposal Method: Waste disposal should be in accordance with all existing federal, state, and local environmental regulations.

Section 14 – Transportation Information

Land Transport: Not considered dangerous goods.

Sea Transport (IMDG): Non-regulated.

Section 15 – Regulatory Information

TSCA Inventory Status: Product is an article as defined and not subject to TSCA inventory requirements.

California Proposition 65: Product contains no chemicals listed on the California Proposition 65 list of known carcinogens or toxic substances.

Section 16 – Other Information

HMIS Ratings: Health: 0 Flammability: 1 Reactivity: 0

The information provided in this Safety Data Sheet pertain to the products supplied by DAF Products Inc. The descriptions, data, and information herein are believed to be accurate. It is provided for guidance only and is not considered a warranty or specification. The above information relates to the specific product designated and may not be valid if product is used in combination with other materials, processes, or if the product is altered. This SDS is subject to revision as additional knowledge is acquired.